



October 16, 2017
Page 1

Name:
Date of Birth:

Referred by:

WHAT TO BRING AND DO PRIOR TO PROCEDURE:

- Please bring your PHOTO ID and INSURANCE CARD.
- Please bring a list of your current medications (including non-prescription) and allergies.
- **YOU MUST HAVE A DRIVER 18 YEARS OF AGE OR OLDER WHO WILL ACCEPT RESPONSIBILITY AND DRIVE YOU HOME.** They will be notified when your procedure is over and MUST be present at the time of discharge to receive instructions and teachings. You are NOT allowed to take a bus, taxi, Access a Ride, walk home etc.
- **If you do not have a ride, your procedure will be cancelled or rescheduled.**
- You should plan to be at our facility for at least 2 hours.
- Read prep instructions THOROUGHLY.
- **DO NOT DRINK ANYTHING FOR 3 HOURS BEFORE YOUR PROCEDURE.**

The Wyoming Endoscopy Center is located just North of Digestive Health Associates in New Bedford Square. The address is 7220 Commons Circle, Cheyenne WY 82009

OSMO PREP INSTRUCTIONS

5 Days prior to your procedure:

- Discontinue Iron and Fish oil
- If on blood thinners please make us aware, but you will need to consult with prescribing physician for possible hold or alterations of blood thinner (Coumadin, Warfarin, Pradaxa, Xarelto and Eliquis)
- If you are diabetic please see Diabetic Instructions

3 Days prior to your procedure:

- Discontinue Fiber Supplements
- Begin a low-fiber Diet...please see Diets and Tips

1 Day prior to your procedure:

- As soon as you wake up you will begin a clear liquid diet...see Diets and Tips
- Take 4 OsmoPrep tablets every 15 minutes with 8 ounces of clear liquid until 20 tablets have been



October 16, 2017
Page 1

Name:

Date of Birth:

consumed. It is important to drink 8 ounces of liquid with each dosing.

- Please follow the dosing schedule:
 - 4 tablets w/8 ounces clear liquid @ pm
 - 4 tablets w/8 ounces clear liquid @ pm
 - 4 tablets w/8 ounces clear liquid @ pm
 - 4 tablets w/8 ounces clear liquid @ pm
 - 4 tablets w/8 ounces clear liquid @ pm
- Continue your clear liquid diet the rest of the night

The day of the procedure:

- Beginning **5 Hours** prior to your procedure you will consume the remaining 12 OsmoPrep tablets as you did above until all OsmoPrep tablets are gone. Please remember it is very important to consume 8 ounces of clear liquid with each dosing.
- Please follow dosing schedule:
 - 4 tablets w/8 ounces clear liquid @ am
 - 4 tablets w/8 ounces clear liquid @ am
 - 4 tablets w/8 ounces clear liquid @ am
- You **MUST** be finished with the entire prep **3 HOURS** prior to your procedure time
- You may take your morning medications with a sip of water

**3 HOURS PRIOR TO YOUR PROCEDURE YOU MAY NOT HAVE ANYTHING BY MOUTH including
Clear Liquids, Candy, Mints or Gum**

Please do not bring any valuable items to the Wyoming Endoscopy Center. We will not be held responsible for replacing any lost or misplaced items. Thank you



October 16, 2017

Page 1

Name:

Date of Birth:

DIET and TIPS

Bowel Prep is needed to perform an effective Procedure. If your bowel prep is not sufficient it will result in the need to reschedule the procedure as we will not be able to see lesions or polyps.

High Fiber foods to AVOID 3 days prior to procedure:

- whole wheat or whole grain breads, cereals and pasta
- brown or wild rice, oats, kasha, barley and quinoa
- Fruits (fried and prune juice)
- seeds/nuts and foods containing them, peanut butter
- Dried beans, peas and lentils
- Coconut, Popcorn
- Vegetables (this includes both raw and undercooked)

Low Fiber ALLOWED:

- white bread
- white rice, plain white pasta, crackers
- refined hot cereals: such as cream of wheat or cold cereals less than 1 gram of fiber per serving
- pancakes/waffles made from refined flour
- fruit/vegetables juice with little or no pulp, fruit flavored drinks/flavored water
- tender meat, poultry, fish, eggs and tofu
- milk and foods made from milk, yogurt, pudding, ice cream, cheese and sour cream-if tolerated
- butter, margarine, oils and salad dressing without seeds

CLEAR LIQUID DIET

- water, sports drinks, energy drinks, clear soda's (7-up, sprite, ginger ale) tea, black coffee, juice without pulp
- Clear broths, gelatin, popsicles (yellow or green)
- sugar, honey, syrup and hard candy
- **DO NO EAT ANYTHING RED OR CONTAINING RED DYE**
- avoid flavors such as: strawberry, cherry, watermelon, grape and orange

NO SOLID FOODS, NO MILK PRODUCTS, NO ORANGE JUICE and NO ALCOHOL